

PAC-CLAD HT UNDERLAYMENT

SCALE: 3" = 1'-0"

EFFECTIVE DATE: 01-03-2023

SUBJECT TO CHANGE WITHOUT NOTICE

(HIGH TEMP)


WOOD SUBSTRATE


#10-13 x 1" GP FASTENER

#10-13 x 1" GP FASTENER

## SNAP-ON STANDING SEAM - WOOD SUBSTRATE DETAILS


## GUTTER - OPTION 1 (NO FLANGE)





## KEYNOTES:

- TRIM FASTENERS ARE SELF-TAPPING PANCAKE HEAD
  AND MUST BE INSTALLED IN A STAGGERED PATTERN
- · CLIP FASTENERS MUST PENETRATE WOOD SUBSTRATE BY 5/8" MINIMUM THREAD LENGTH
- FASTENER SPACING VARIES BASED ON PROJECT SPECIFIC LOADS AND/OR LOCAL BUILDING CODES



FLASHINGS

DISCLAIMER: DETAIL SHOWN FOR ILLUSTRATION PURPOSES ONLY. ACTUAL PROJECT DETAIL MAY VARY

## PETERSEN ALUMINUM CORPORATION - PAC-CLAD.COM

HQ: 1005 Tonne Road Elk Grove Village, IL 60007 P: 800-PAC-CLAD F: 800-722-7150 9060 Junction Drive Annapolis Junction, MD 20701 P: 800-344-1400 F: 301-953-7627 10551 PAC Road

10551 PAC Road Tyler, TX 75707 P: 800-441-8661 F: 903-581-8592 102 Northpoint Parkway Acworth, GA 30102 P: 800-272-4482 F: 770-420-2533

SALES@PETERSENMAIL.COM

RETURN OVER EAVE FLASHING

GUTTER SUPPORT AS

SPECIFIED BY ARCHITECT

-GUTTER STRAP (FIELD FORMED)

GUTTER FLASHING

(SEE DETAIL "A")

-DRIP EDGE FLASHING -#10-13 x 5/8" GP FASTENER

> 1800 S. 7th Ave., Suite 130 Phoenix, AZ 85007 P: 833-750-1935 F: 602-254-6504

9817 233rd Ave. E, Suite A Bonney Lake, WA 98391 P: 253-501-2450 F: N/A