


REFERENCE DETAIL:

PAC SS RAKE PANEL

WITHOUT VERTICAL "Z" BRACKETS



PANEL IS TO BE INSTALLED PER SPECIFICATIONS AND PETERSEN ALUMINUM'S INSTALLATION INSTRUCTIONS DWG. # 41127-12200

NOTE: ALL FASTENERS BY OTHERS (SEE INSTALLATION INSTRUCTIONS FOR RECOMMENDATIONS)
COVER SHIPPED LOOSE

"H" DIMENSION:

- 6" Coverage 8" Coverage 10" Coverage
- 12" Coverage* 14" Coverage* 16" Coverage*
- Other*: _____

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes and quantities. All products to be installed in strict accordance with Petersen Aluminum's printed instructions.

Approved by: _____

Date: _____

COVER:

- 24 Ga. (.65 mm) Galv. Steel* 22 Ga. (.81 mm) Galv. Steel
- .040" (1.01 mm) Aluminum* .050" (1.27 mm) Aluminum
- .063" (1.60 mm) Aluminum Other _____

* Coverages over 10" include 1/8" stiffening band (see dwg #41527-12189 for a reference)

Color: _____ Finish: _____

QUANTITIES:

_____ Lineal Feet (12'-0" (3.65 M) Lengths)

_____ Peak Miters

SEE ADDITIONAL PRINT APPROVAL FOR RAKE CONDITION

PROJECT:

ARCHITECT:

CONTRACTOR:

REPRESENTATIVE:



Phone: 800-323-1960
Fax: 800-722-7150
www.pac-clad.com
E-mail: info@pac-clad.com

DATE: 8/3/10

DRN BY: MRK

CKD BY: SAK

SHT.# ___ OF ___

DWG# 41027-12199

A