


Product Approval
USER: Public User

 ▶ OFFICE OF THE
 SECRETARY

FL #	FL10277-R2
Application Type	Affirmation
Code Version	2010
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Petersen Aluminum Corporation
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (800) 272-4482 dlandis@petersenmail.com
Authorized Signature	Sal Delfino saldelfino@att.net
Technical Representative	Dave Landis
Address/Phone/Email	4175 Royal Drive, Building 300 Kennesaw, GA 30144 (800) 272-4482 dlandis@petersenmail.com
Quality Assurance Representative	Tom Creigh, VP
Address/Phone/Email	Petersen Aluminum, Inc. 1005 Tonne Road Elk Grove, IL 60007 (800) 722-7150 tcreigh@petersenmail.com
Category	Roofing
Subcategory	Metal Roofing

Compliance Method

Certification Mark or Listing

Certification Agency
Validated By

Miami-Dade BCCO - CER

Referenced Standard and Year (of
Standard)

Standard

Year

TAS100

1995

TAS125

2003

Equivalence of Product Standards
Certified By

I affirm that there are no changes in the new Florida Building Code which affect my product(s) and my product(s) are in compliance with the new Florida Building Code.

Documentation from approved
Evaluation or Validation Entity



Yes



No



N/A

Product Approval Method

Method 1 Option A

Date Submitted

03/27/2012

Date Validated

03/27/2012

Date Pending FBC Approval

Date Approved

04/02/2012

Summary of Products

FL #	Model, Number or Name	Description
10277.1	SNAP-CLAD .040" ALUMINUM	.040" ALUMINUM x 16" wide, 12" wide, 10" wide panels x 1 3/4" rib
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +NA/-94.9 PSF Other: 18" o/c clip spacing is -72.8 PSF; 6" o/c clip spacing is -94.9 PSF. See NOA # 07-0320.06		Certification Agency Certificate FL10277_R2_C_CAC_SNAP CLAD 040 MIAMI DADE NOA 07-0320.06.pdf Quality Assurance Contract Expiration Date Installation Instructions FL10277_R2_II_SNAP CLAD 040 MIAMI DADE NOA 07-0320.06.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

[Contact Us](#) :: [1940 North Monroe Street, Tallahassee FL 32399](#) [Phone: 850-487-1824](#)