

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

Florida Department of
Business & Professional Regulation
License efficiently. Regulate fairly.
OFFICE OF THE SECRETARY

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)

Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL10879-R3	
Application Type	Revision	
Code Version	2014	
Application Status	Approved	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	Petersen Aluminum Corporation	
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (800) 272-4482 dlandis@petersenmail.com	
Authorized Signature	Sal Delfino sdelfino@petersenmail.com	
Technical Representative	Sal Delfino	
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (954) 931-1392 sdelfino@petersenmail.com	
Quality Assurance Representative	Tom Creigh, VP	
Address/Phone/Email	Petersen Aluminum, Inc. 1005 Tonne Road Elk Grove, IL 60007 (800) 722-7150 tcreigh@petersenmail.com	
Category	Roofing	
Subcategory	Metal Roofing	
Compliance Method	Test Report	
Testing Lab	Farabaugh Engineering and Testing, Inc.	
Quality Assurance Entity	UL LLC	
Quality Assurance Contract Expiration Date	06/30/2018	
Validated By	Locke Bowden <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received	
Certificate of Independence	FL10879_R3_COI_Farabaugh_040_TLP_Statement_of_Independence_6-2008.pdf	
Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	TAS 125	2007
Equivalence of Product Standards Certified By	Approved Certification Agency FL10879_R3_Equiv_UL_Equivalency_of_Standard_Letter_580_and_1897.pdf	
Product Approval Method	Method 1 Option B	

Date Submitted 04/08/2015
 Date Validated 04/10/2015
 Date Pending FBC Approval 04/14/2015
 Date Approved 06/22/2015

Summary of Products

FL #	Model, Number or Name	Description
10879.1	TITE-LOC PLUS	.040" Aluminum x 12" wide panel and .040" Aluminum x 16" wide panel
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +48.5/-152.1 Other: 12" wide panel: 24" clip spacing: -107.9 12" clip spacing: -146.9 6" clip spacing: -152.1 16" wide panel: 24" clip spacing: -76.7 12" clip spacing: -87.15 6" clip spacing: -105.3		Installation Instructions FL10879_R3_II_TLP_details_plywood_deck_for_FBC_application_6-11-08.pdf Verified By: Keith Brasher, GTA Design FL # 11140 Test Reports FL10879_R3_TR_TLP_040_x_12_wide_TAS_125_summary_2008.pdf FL10879_R3_TR_TLP_040_x_12_wide_TAS_125_Testing_24_12_and_6_clips_12-28-07.pdf FL10879_R3_TR_TLP_040_x_16_wide_TAS_125_summary_2008.pdf FL10879_R3_TR_TLP_040_x_16_wide_TAS_125_Testing_24_12_and_6_clips_12-28-07.pdf

[Back](#) [Next](#)

Contact Us :: [1940 North Monroe Street, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

