



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL13487-R4	
Application Type	Revision	
Code Version	2014	
Application Status	Approved	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	Petersen Aluminum Corporation	
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (800) 272-4482 dlandis@petersenmail.com	
Authorized Signature	Sal Delfino sdelfino@petersenmail.com	
Technical Representative	Sal Delfino	
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (954) 931-1392 sdelfino@petersenmail.com	
Quality Assurance Representative	Tom Creigh, VP	
Address/Phone/Email	Petersen Aluminum, Inc. 1005 Tonne Road Elk Grove, IL 60007 (800) 722-7150 tcreigh@petersenmail.com	
Category	Roofing	
Subcategory	Metal Roofing	
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received	
Florida Engineer or Architect Name who developed the Evaluation Report	Bala Sockalingam	
Florida License	PE-62240	
Quality Assurance Entity	UL LLC	
Quality Assurance Contract Expiration Date	06/30/2018	
Validated By	Locke Bowden <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received	
Certificate of Independence	FL13487_R4_COI_CertificateIndependence.pdf	
Referenced Standard and Year (of Standard)	Standard	Year
	TAS 125	2003
	UL 1897	2004
	UL 580	2006
Equivalence of Product Standards Certified By	Florida Licensed Professional Engineer or Architect FL13487_R4_Equiv_TestEquivalent_FL13487.pdf	
Sections from the Code		

Product Approval Method

Method 1 Option D

Date Submitted

06/24/2015

Date Validated

06/30/2015

Date Pending FBC Approval

07/06/2015

Date Approved

08/19/2015

Summary of Products

FL #	Model, Number or Name	Description
13487.1	Tite-Loc Plus	12" Wide x 0.040" Aluminum Panel over 22 Ga. Metal B-Deck
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-160.95 Other: Uplift load of 52.5 psf @ clip spacing of 48" o.c. and 160.95 psf @ clip spacing of 12" o.c. Install per manufacturer's details. Not for use in HVHZ.		Installation Instructions FL13487_R4_II_EvaluationReportC2037_1.pdf Verified By: Bala Sockalingam 62240 Created by Independent Third Party: Yes Evaluation Reports FL13487_R4_AE_EvaluationReportC2037_1.pdf FL13487_R4_AE_LSC2037_1.pdf Created by Independent Third Party: Yes
13487.2	Tite-Loc Plus	12" Wide x 22 Ga. Steel Panels over 22 Ga. Metal B-Deck
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-186.4 Other: Uplift load of 56.0 psf @ clip spacing of 48" o.c. and 186.4 psf @ clip spacing of 6" o.c. Install per manufacturer's details. Not for use in HVHZ.		Installation Instructions FL13487_R4_II_EvaluationReportC2037_2.pdf Verified By: Bala Sockalingam 62240 Created by Independent Third Party: Yes Evaluation Reports FL13487_R4_AE_EvaluationReportC2037_2.pdf FL13487_R4_AE_LSC2037_2.pdf Created by Independent Third Party: Yes
13487.3	Tite-Loc Plus	18" Wide x 24 Ga. Steel Panels over 22 Ga. Metal B-Deck
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-78.5 Other: Uplift load of 30.0 psf @ clip spacing of 48" o.c. and 78.5 psf @ clip spacing of 6" o.c. Install per manufacturer's details. Not for use in HVHZ..		Installation Instructions FL13487_R4_II_EvaluationReportC2037_3.pdf Verified By: Bala Sockalingam 62240 Created by Independent Third Party: Yes Evaluation Reports FL13487_R4_AE_EvaluationReportC2037_3.pdf FL13487_R4_AE_LSC2037_3.pdf Created by Independent Third Party: Yes
13487.4	Tite-Loc Plus	16" Wide x 0.032" Aluminum Panels over min. 19/32" Plywood Deck
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-74.1 Other: Uplift load of 61.1 psf @ clip spacing of 24" o.c. and 74.1 psf @ clip spacing of 12" o.c. Install per manufacturer's details. Not for use in HVHZ.		Installation Instructions FL13487_R4_II_EvaluationReportC2037_4.pdf Verified By: Bala Sockalingam 62240 Created by Independent Third Party: Yes Evaluation Reports FL13487_R4_AE_EvaluationReportC2037_4.pdf FL13487_R4_AE_LSC2037_4.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: [1940 North Monroe Street, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

