



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL20432
Application Type	New
Code Version	2014
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Petersen Aluminum Corporation
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (800) 272-4482 dlandis@petersenmail.com
Authorized Signature	Sal Delfino sdelfino@petersenmail.com
Technical Representative	Sal Delfino
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (954) 931-1392 sdelfino@petersenmail.com
Quality Assurance Representative	Tom Creigh, VP
Address/Phone/Email	Petersen Aluminum, Inc. 1005 Tonne Road Elk Grove, IL 60007 (800) 722-7150 tcreigh@petersenmail.com
Category	Panel Walls
Subcategory	Siding
Compliance Method	Test Report
Testing Lab	Farabaugh Engineering and Testing, Inc.
Quality Assurance Entity	UL LLC
Quality Assurance Contract Expiration Date	06/30/2018
Validated By	Locke Bowden <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received
Certificate of Independence	FL20432_R0_COI_Farabaugh Certificate of Independence.pdf
Referenced Standard and Year (of Standard)	Standard ASTM E330
	Year 2002
Equivalence of Product Standards Certified By	

Product Approval Method

Method 1 Option B

Date Submitted 05/10/2016
 Date Validated 05/19/2016
 Date Pending FBC Approval 05/24/2016
 Date Approved 08/17/2016

Summary of Products

FL #	Model, Number or Name	Description
20432.1	Precision Series HWP-12B	24 Ga. Steel Horizontal Wall Panel HWP-12B with clip.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-46.7 Other: See attached load table for additional spanning option.		Installation Instructions FL20432_R0_II_HWP-12B_W_CLIP_Neg_Load_Table_24_GA_Steel.pdf FL20432_R0_II_Installation_Details.pdf Verified By: Farabaugh Engineering and Testing, Inc. Test Reports FL20432_R0_TR_HWP-12B_W_CLIP_ASTM_E330.pdf
20432.2	Precision Series HWP-12S	24 Ga. Steel Horizontal Wall Panel HWP-12S with clip.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-91.70 Other: See attached load table for additional spanning option.		Installation Instructions FL20432_R0_II_HWP-12S_W_CLIP_Neg_Load_Table_24_GA_Steel.pdf FL20432_R0_II_Installation_Details.pdf Verified By: Farabaugh Engineering and Testing, Inc. Test Reports FL20432_R0_TR_HWP-12S_W_CLIP_ASTM_E330.pdf
20432.3	Precision Series HWP-16B	24 Ga. Steel Horizontal Wall Panel HWP-16B with clip.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-81.30 Other: See attached load table for additional spanning option.		Installation Instructions FL20432_R0_II_HWP-16B_W_CLIP_Neg_Load_Table_24_GA_Steel.pdf FL20432_R0_II_Installation_Details.pdf Verified By: Farabaugh Engineering and Testing, Inc. Test Reports FL20432_R0_TR_HWP-16B_W_CLIP_ASTM_E330.pdf
20432.4	Precision Series HWP-16C	24 Ga. Steel Horizontal Wall Panel HWP-16C with clip.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-83.20 Other: See attached load table for additional spanning option.		Installation Instructions FL20432_R0_II_HWP-16C_W_CLIP_Neg_Load_Table_24_GA_Steel.pdf FL20432_R0_II_Installation_Details.pdf Verified By: Farabaugh Engineering and Testing, Inc. Test Reports FL20432_R0_TR_HWP-16C_W_CLIP_ASTM_E330.pdf

[Back](#) [Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

