PAC-Shield Nail Base Fastening Patterns

PAC-CLAD PETERSEN
A CARLISLE COMPANY

16" OC or 32" OC Wood Framing, Steel, or Structural Concrete Roof Decks

NOTES

1. Please refer to DrJ TER 2101-01 for required number of fasteners per 4' x 8' nailable insulation panel. Where fastening pattern quantities differ from quantities in DrJ TER 2101-01, use pattern with the next highest fastener quantity.
2. Dimensions shown are approximate.



16 Fasteners/Board



28 Fasteners/Board



20 Fasteners/Board



32 Fasteners/Board



24 Fasteners/Board



36 Fasteners/Board



40 Fasteners/Board



15 Fasteners/Board



44 Fasteners/Board



20 Fasteners/Board



48 Fasteners/Board



24 Fasteners/Board

PAC-CLAD®
PETERSEN
A CARLISLE COMPANY

PAC-CLAD® is a registered trademark of Petersen Aluminum Corporation. The PAC-CLAD finish is 70% polyvinylidene fluoride (PVDF). 7/24



28 Fasteners/Board



40 Fasteners/Board



32 Fasteners/Board



44 Fasteners/Board



36 Fasteners/Board



48 Fasteners/Board

PAC-CLAD® is a registered trademark of Petersen Aluminum Corporation. The PAC-CLAD finish is 70% polyvinylidene fluoride (PVDF). 7/24