

K-Factor

Architectural Technical Bulletin



PRODUCT

- ▶ **IWP Series:** Insulated Metal Wall Panel
- ▶ **IRP Series:** Insulated Metal Roof Panel
- ▶ **Component:** Polyisocyanurate (PIR) insulating foam core
- ▶ **System:** Rubitherm WR 40618 / Rubinate 1850
- ▶ **Blowing Agent:** Non-ozone depleting Pentane

TEST PROTOCOL

- ▶ ASTM C 518-10 Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus

TEST LOCATION:

- ▶ Huntsman Advanced Technology Center, 8600 Gosling Road, The Woodlands, TX 77381

REPORT NUMBER:

- ▶ HTR-011812

RESULTS:

TEMPERATURE RANGE (F)	K-FACTOR BTU-IN/HR-FT ² -F°	R-FACTOR
95°-55° 75°-MEAN	0.139	7.20
70°-0°	0.0002	0.0007

SUBJECT TO CHANGE WITHOUT NOTICE – Please visit our website for the most current information.

ATB-0003-R1

PAC-CLAD® is a registered trademark of Petersen Aluminum Corporation. 11/24



PAC-CLAD.COM | 800 PAC CLAD